

Contents

Papers

- Ivana Avramović, Milan Pešić*
ACCELERATOR-DRIVEN SUB-CRITICAL RESEARCH
FACILITY WITH LOW-ENRICHED FUEL IN LEAD
MATRIX – NEUTRON FLUX CALCULATION 3
- Jovica Jovović, Jovan Cvetić, Aleksandar Dobrosavljević,
Tanja Nedeljković, Biljana Jovanović, Ilija Draganić*
MIVOC METHOD AT THE mVINIS ION SOURCE 10
- Muhammad Israr, Muhammad Abdullah, Sabiha Bakhtyar,
Masood Iqbal, Showket Pervez*
EMERGENCY EXHAUST SYSTEM'S EFFICIENCY
MEASUREMENTS FOR IODINE REMOVAL AT PARR-1 15
- Radivoje S. Popović, Pavel Kejik, Serge Reymond,
Dragana R. Popović, Marjan Blagojević, Saša Dimitrijević*
MULTI-AXIS INTEGRATED HALL MAGNETIC SENSORS 20
- Senada Avdić*
A STUDY OF SOIL MOISTURE VARIABILITY FOR LANDMINE
DETECTION BY THE NEUTRON TECHNIQUE 29
- Jovan Vukanić, Dušan Arsenović, Dragomir M. Davidović*
A NEW WAY OF OBTAINING ANALYTIC APPROXIMATIONS OF
CHANDRASEKHAR'S H FUNCTION 38
- Srpko Marković, Vladan Ljubenov, Rodoljub Simović*
TOTAL NUMBER ALBEDO AND AVERAGE COSINE OF
THE POLAR ANGLE OF LOW-ENERGY PHOTONS
REFLECTED FROM WATER 44
- Olivera Ciraj Bjelac, Milan Lončar, Duško Košutić,
Milojko Kovačević, Danijela Arandjić*
PATIENT DOSES AND IMAGE QUALITY IN CHEST RADIOGRAPHY:
THE INFLUENCE OF DIFFERENT BEAM QUALITIES 48
- Nnamdi N. Jibiri, Grace T. Oguntade*
GENETICALLY SIGNIFICANT DOSE ASSESSMENTS OF
OCCUPATIONALLY EXPOSED INDIVIDUALS INVOLVED IN
INDUSTRIAL AND MEDICAL RADIOGRAPHIC PROCEDURES IN
CERTAIN ESTABLISHMENTS IN NIGERIA 53
- Ivana Vukašinić, Dragana Todorović, Dragana Popović*
THE DEPENDENCE OF Ge DETECTORS EFFICIENCY ON THE
DENSITY OF THE SAMPLES IN GAMMA-RAY SPECTROMETRY 58
- Koviljka Stanković, Danijela Arandjić, Djordje Lazarević,
Predrag Osmokrović*
EXPANDED AND COMBINED UNCERTAINTY IN
MEASUREMENTS BY GM COUNTERS 64
- Author index 71