

**Editorial**

*Rodoljub Simović*  
A FEW WORDS ON A DECADE OF OUR JOURNAL'S PRESENCE  
IN THE WORLD OF ELECTRONIC COMMUNICATIONS

**Papers**

*Asif Salahuddin, Masood Iqbal*  
COMPARISON OF ACTINIDES AND FISSION PRODUCTS  
RECYCLING SCHEME WITH THE NORMAL PLUTONIUM  
RECYCLING SCHEME IN FAST REACTORS 1-17

*Sayedeh Leila Mirmohammadi, Morteza Gharib,  
Parnian Ebrahimzadeh, Reza Amrollahi*  
DESIGN AND INSTALLATION OF A HOT WATER LAYER  
SYSTEM AT THE TEHRAN RESEARCH REACTOR 18-24

*Ilija Plečaš, Laslo J. Nadjerdj, Miloš D. Davidović*  
OPTIMISATION BY MATHEMATICAL MODELING OF  
PHYSICO-CHEMICAL CHARACTERISTICS OF CONCRETE  
CONTAINERS IN RADIOACTIVE WASTE MANAGEMENT 25-30

*Nace Stojanov, Srdjan M. Petrović, Nebojša B. Nešković*  
ENERGY LOSS DISTRIBUTIONS OF 7 TeV PROTONS  
CHANNELED IN A BENT SILICON CRYSTALS 31-35

*Vladimir M. Marković, Dragana Krstić, Nenad Stevanović,  
Dragoslav R. Nikezić*  
PHOTON ALBEDO FOR WATER, CONCRETE, AND IRON  
AT NORMAL INCIDENCE, AND DEPENDENCE ON THE  
THICKNESS OF REFLECTING MATERIAL 36-44

*Zdravko M. Vejnović, Miloš B. Pavlović,  
Marina Kutin, Milorad P. Davidović*  
GLOW CURVE ANALYSIS BY GAUSS-LORENTZ FUNCTION 45-51

*Milan M. Radovanović, Boško M. Milovanović,  
Mila A. Pavlović, Aleksandar R. Radivojević, Milan T. Stevančević*  
THE CONNECTION BETWEEN SOLAR WIND CHARGED  
PARTICLES AND TORNADOES – CASE ANALYSIS 52-59

*Ljiljana R. Gulan, Francesco Bochicchio, Carmela Carpentieri,  
Gordana A. Milić, Jelena M. Stajić, Dragana Ž. Krstić,  
Zdenka A. Stojanovska, Dragoslav R. Nikezić, Zora S. Žunić*  
HIGH ANNUAL RADON CONCENTRATION IN DWELLINGS  
AND NATURAL RADIOACTIVITY CONTENT IN NEARBY SOIL  
IN SOME RURAL AREAS OF KOSOVO AND METOHIJA 60-67

*Dušan S. Mrdja, Ištvan S. Bikit, Miroslav J. Vesković, Sofija M. Forkapić,  
Nataša M. Todorović, Jovana B. Nikolov, Kristina I. Bikit*  
A SIMPLE MODEL FOR THE ASSESSMENT OF INDOOR  
RADIONUCLIDE Pb-210 SURFACE CONTAMINATION  
DUE TO THE PRESENCE OF RADON 68-72

*Marko S. Andjelković, Goran S. Ristić*  
FEASIBILITY STUDY OF A CURRENT MODE GAMMA RADIATION  
DOSIMETER BASED ON A COMMERCIAL PIN PHOTODIODE  
AND A CUSTOM MADE AUTO-RANGING ELECTROMETER 73-83

*Dejan S. Nikolić, Aleksandra I. Vasić,  
Djordje R. Lazarević, Marija D. Obrenović*  
IMPROVEMENT POSSIBILITIES OF THE I-V CHARACTERISTICS  
OF PIN PHOTODIODES DAMAGED BY GAMMA IRRADIATION 84-91

*Yanliang Tan, Detao Xiao*  
THE METHOD FOR RECALIBRATION OF THORON  
CONCENTRATION READING OF RAD7 AND OBTAINING  
THE THORON EXHALATION RATE FROM SOIL SURFACE 92-96

*Vlade Urošević*  
REMOTE ACCESS TO ATOMTEX 1125A INSTRUMENT 97-101

*Dušan S. Rajić, Negovan D. Ivanković, Nataša D. Ivanković,  
Marina S. Ilić, Željko B. Senić, Nataša D. Pajić*  
TESTING THE PROTECTIVE EFFICIENCY OF PERSONAL  
RESPIRATORY PROTECTION DEVICES IN RADIOLOGICALLY  
CONTAMINATED ENVIRONMENTS 102-107