

Papers

- Pavel M. Bokov, Danniell Botes, Suzanne A. Groenewald*
DUAL NUMBER AUTOMATIC DIFFERENTIATION AS APPLIED TO
TWO-GROUP CROSS-SECTION UNCERTAINTY PROPAGATION 107-115
- Hong Xu, Baorui Zhang*
A REVIEW ON THE DEFENSE-IN-DEPTH CONCEPT AND THE FLEX
STRATEGIES IN DIFFERENT COUNTRIES AFTER FUKUSHIMA ACCIDENT 116-127
- Brandyn M. Campos, Miltiadis Alamaniotis*
REVIEW OF INTERNAL CYBER ATTACKS IN NUCLEAR FACILITIES AND
AN ARTIFICIAL NEURAL NETWORK MODEL FOR IMPLEMENTING
INTERNAL CYBERFORENSICS 128-138
- Renata Havrankova, Eva Šimačkova, Friedo Zolzer,
Jiri Havranek, Zuzana Freitinger Skalicka*
ASSESSMENT OF THE RADIOLOGICAL SITUATION IN DIFFERENT
AREAS AFFECTED BY URANIUM MINING AND URANIUM PROCESSING
IN THE CZECH REPUBLIC 139-149
- Jelena S. Stanković Petrović, Željka I. Knežević, Nikola Lj. Kržanović,
Marija C. Majer, Miloš Z. Živanović, Olivera F. Ciraj-Bjelac*
REVIEW OF THE THERMOLUMINESCENT DOSIMETRY METHOD
FOR THE ENVIRONMENTAL DOSE MONITORING 150-162
- Slavko D. Dimović, Ivana V. Jelić, Vojislav Dj. Stanić,
Andrea A. Kojić, Predrag M. Božović*
MATHEMATICAL MODELING OF Cs⁺ TRANSPORT PHENOMENA
FROM SOLIDIFIED SPENT ION EXCHANGE RESIN 163-167
- Nenad M. Kartalović, Saška D. Djekić,
Saša B. Djekić, Dušan P. Nikezić, Uzahir R. Ramadani*
POSSIBILITY OF APPLICATION NUCLEAR MAGNETIC RESONANCE
FOR MEASUREMENT OF FLUID-FLOW 168-173
- Yang Xu, Rui Zhao*
CALIBRATION AND MEASUREMENT OF THE X-RAY PERSONAL
DOSE EQUIVALENT WITH A H_p(10) IONIZATION CHAMBER 174-181
- Ljiljana M. Kljajević, Miljana M. Mirković Sabina Dolenc,
Katarina Šter, Mustafa Hadžalić, Ivana S. Vukanac, Miloš T. Nenadović*
RADIOLOGICAL AND PHYSICO-CHEMICAL CHARACTERIZATION
OF RED MUD AS AN AI-CONTAINING PRECURSOR IN INORGANIC
BINDERS FOR THE BUILDING INDUSTRY 182-191
- Sabahudin H. Hadrović, Igor T. Čeliković, Jelena D. Krneta Nikolić,
Milica M. Rajačić, Dragana J. Todorović*
RADIONUCLIDES' CONTENT IN FOREST ECOSYSTEM
LOCATED IN SOUTH-WESTERN PART OF SERBIA 192-196
- Alexandros Clouvas, Anna Makridou, Michalis Chatzimarkou*
CAPABILITIES OF ELECTRET ION CHAMBERS TO MEASURE
ABSORBED DOSE OUTSIDE THE TREATED VOLUME, DURING
EXTERNAL-PHOTON RADIATION THERAPY 197-204
- Serhii S. Pohuljai, Igors A. Krainukovs*
IMPROVEMENT OF THE MINIMUM DETECTABLE ACTIVITY
OF A FREE RELEASE MONITOR FOR SMALL ARTICLES 205-209